


Contents

Glossary of Terms	i
1. Introduction	
1.1 Project Proponent	1-1
1.2 Environmental Assessment Scope and Objectives	1-1
1.3 Project Overview	1-2
1.4 Voluntary Environmental Assessment Process	1-9
1.5 Public Consultation Process	1-11
1.6 Overview of Legislative Process	1-11
2. Project Approvals	2-1
2.1 Overview	2-1
2.2 Commonwealth Legislation	2-1
2.3 State Legislation	2-3
2.4 Planning Assessments	2-15
2.5 Approval Summary	2-31
3. Description of the Project	3-1
3.1 Introduction	3-1
3.2 Existing Operations	3-1
3.3 Proposed Development	3-2
3.4 Location	3-7
3.5 Construction	3-10
3.6 Operations	3-11
3.7 Infrastructure Requirements	3-11
3.8 Waste Management	3-15
3.9 Rehabilitation and Decommissioning	3-15
4. Environment Values and Management of Impacts	4-1
4.1 Introduction	4-1
4.2 Land	4-2
4.3 Landscape Character and Visual Amenity	4-21
4.4 Transport and Infrastructure	4-24
4.5 Climate/Natural Disasters	4-28
4.6 Surface Waterways	4-45



4.7	Groundwater Resources	4-57
4.8	Marine Water Quality	4-66
4.9	Hydrodynamics	4-79
4.10	Terrestrial Ecology	4-98
4.11	Marine Ecology	4-129
4.12	Air	4-168
4.13	Noise and Vibration	4-187
4.14	Waste Management	4-196
4.15	Cultural Heritage	4-200
4.16	Social and Economic Assessment	4-208
4.17	Regional, State and National Economy	4-217
4.18	Health, Safety and Emergency Response	4-220
4.19	Hazard and Risk	4-222
5.	Environmental Management Plan	5-1
5.1	Introduction	5-1
5.2	Overview	5-1
5.3	Objectives of the Environmental Management Plan	5-1
5.4	Structure of the Environmental Management Plan	5-2
5.5	Environmental Training	5-2
5.6	Monitoring Responsibility	5-3
5.7	Auditing	5-3
5.8	Management Responsibility	5-3
5.9	Environmental Management Plan	5-6
6.	Matters of National Environmental Significance	6-1
7.	Conclusions and Recommendation	7-1
8.	References	8-1

Table Index

Table 2-1	Relevant ERAs	2-8
Table 2-2	Approval Summary	2-32
Table 3-1	Land Use Designation and Tenure	3-7
Table 3-2	External raw water requirements	3-12
Table 3-3	Recycled water demands	3-13




Table 4-1	Land use designation and tenure	4-8
Table 4-2	Summary of EMR/CLR search results	4-14
Table 4-3	Drainage controls	4-16
Table 4-4	Erosion controls	4-16
Table 4-5	Sediment controls	4-17
Table 4-6	Significance assessment – disturbance of ASS	4-19
Table 4-7	Climate statistics for Bowen Airport from 1987 to 2008 (BOM, 2008)	4-29
Table 4-8	Summary of tidal planes at Abbot Point	4-35
Table 4-9	Storm tide levels – Abbot Point	4-37
Table 4-10	Climate Change Policy, Regulations or Standards – Potential Project Implications	4-40
Table 4-11	Summary of pH for period January to July 2008	4-49
Table 4-12	Summary of electrical conductivity for period January to January 2009	4-50
Table 4-13	Summary of total P for period January to July 2008	4-50
Table 4-14	Summary of total N for period January 2008 to July 2008	4-50
Table 4-15	Water Quality Monitoring Locations	4-66
Table 4-16	Chart details	4-79
Table 4-17	Tide classification by form number	4-80
Table 4-18	Tidal planes at Abbot Point	4-80
Table 4-19	Summary of wave recording frequency during the monitoring period	4-82
Table 4-20	Details of the C- and D-class Delft-3D Hydrodynamic Models	4-85
Table 4-21	Comparison of available storm tide data for Bowen	4-91
Table 4-22	Maximum residuals of modelled variables	4-95
Table 4-23	GPS co-ordinates of the sample sites	4-99
Table 4-24	Regional Ecosystems mapped on site	4-104
Table 4-25	Priority pest and weed classes	4-114
Table 4-26	Declared plants listed under the <i>Land Protection (Pest and Stock Route Management) Act 2002</i> recorded from the Project site	4-114
Table 4-27	Overall Summary of Fauna Survey Results	4-117
Table 4-28	Areas of regional ecosystem that require clearing	4-122
Table 4-29	Priority pest and weed classes	4-127
Table 4-30	Area (ha) and number of sites contributing to each identified density class	4-131



Table 4-31	Taxa present in each benthic macroinvertebrate region	4-137
Table 4-32	Ranking system for the benthic macroinvertebrate regions	4-141
Table 4-33	Area (ha) and ranks of identified benthic macroinvertebrate regions	4-143
Table 4-34	Listed and threatened marine species observed on survey or potentially found within the Project area	4-146
Table 4-35	Age class categories for Green Turtle, the dugong and inshore dolphin species	4-150
Table 4-36	Observed depth range of species observed on survey	4-153
Table 4-37	Age class composition of observed key marine fauna	4-157
Table 4-38	Summary table of acoustic intensity and frequency of noise sources relative to those for marine mammals (approximated from literature)	4-166
Table 4-39	Existing ambient air quality objectives and guidelines applicable to the project	4-169
Table 4-40	Location of observation stations	4-170
Table 4-41	Maximum 24-hour average and annual average concentration of PM ₁₀ at Mackay	4-172
Table 4-42	95 th Percentile for the 24-hour average PM ₁₀ concentration at Mackay	4-173
Table 4-43	Estimated TSP, PM ₁₀ , PM _{2.5} emission rates in grams per second (g/s) for site activities	4-174
Table 4-44	Predicted 24-hour average and annual average ground-level concentrations of PM _{2.5} due to site activities	4-178
Table 4-45	Predicted maximum 24-hour average ground-level concentrations of PM ₁₀ due to site activities	4-180
Table 4-46	Predicted annual average ground-level concentrations of TSP due to site activities	4-182
Table 4-47	Predicted annual average dust deposition rates due to site activities	4-184
Table 4-48	Noise monitoring locations	4-187
Table 4-49	Summary of unattended noise monitoring data	4-188
Table 4-50	Project specific noise goals – Abbot Point Road dwelling	4-189




Table 4-51	Recommended limits for non-tonal low frequency noise within a room (LpA,LF)	4-191
Table 4-52	Scenario 1 summary of results dB(A) – 1.5 m above ground - no mitigation applied	4-192
Table 4-53	Scenario 1 - Detailed modelling results dB(A) _{L_{eq}} – neutral conditions	4-193
Table 4-54	Sound transmission loss through common materials (Bies and Hansen, 1988)	4-194
Table 4-55	Predicted low frequency noise at receiver 1 dB(A)	4-194
Table 4-56	Construction phase waste materials	4-196
Table 4-57	Operational phase waste materials	4-196
Table 4-58	Total populations and population changes across the local and State study areas	4-210
Table 4-59	Population projections for the local and State study areas	4-210
Table 4-60	Median incomes for 2001 and 2006 for the local and State study areas	4-212
Table 4-61	Economic impact of the construction of the proposed APCT expansion	4-217
Table 4-62	Economic impact of the operating phase of the proposed APCT expansion	4-218
Table 4-63	Consequence ratings	4-224
Table 4-64	Probability of occurrence	4-226
Table 4-65	Risk categories	4-227
Table 4-66	Summary of risks associated with the project	4-228
Table 5-1	Structure of environmental management plan	5-2
Table 5-2	Management responsibilities	5-3

Figure Index

Figure 1-1	Project location	1-3
Figure 1-2	X110 Expansion general location of infrastructure development	1-6
Figure 2-1	APSDA Application process flowchart	2-5
Figure 2-2	APSDA precinct map	2-16
Figure 2-3	Extract from former Bowen Shire erosion prone land – Chart SC33BB	2-21
Figure 3-1	Process flow diagram of X110 Operations	3-3



Figure 3-2	General layout of stacker / reclaimers	3-4
Figure 3-3	General layout of rail inloading	3-5
Figure 3-4	Land use designations and tenure	3-9
Figure 4-1	Topography	4-4
Figure 4-2	Geology	4-5
Figure 4-3	Soils	4-6
Figure 4-4	Land holdings ownership and tenure	4-9
Figure 4-5	Conservation areas	4-11
Figure 4-6	Schematic of impacts associated with filling over ASS	4-19
Figure 4-7	Annual wind speed and direction at Abbot Point	4-30
Figure 4-8	Seasonal distribution of wind speed and direction at Abbot Point	4-31
Figure 4-9	Diurnal distribution of wind speed and direction at Abbot Point	4-31
Figure 4-10	Mean maximum and minimum temperatures recorded at Bowen Airport	4-32
Figure 4-11	Mean daily solar exposure at Bowen Airport	4-33
Figure 4-12	Range of lowest, average and highest monthly rainfall at Bowen Airport	4-34
Figure 4-13	Mean 9am and 3pm relative humidity at Bowen Airport	4-35
Figure 4-14	Plot of extreme storm surge water levels for Abbot Point (excl. sea level rise)	4-37
Figure 4-15	Graph of sea level rise projections (extract from Antarctic Climate and Ecosystems Cooperative Research Centre Report)	4-38
Figure 4-16	Construction phase GHG emission sources	4-43
Figure 4-17	Surface waterways	4-47
Figure 4-18	Summary of pH data for period July 2005 to July 2008	4-48
Figure 4-19	Summary of electrical conductivity for period July 2005 to July 2008	4-49
Figure 4-20	Stormwater management plan for X110 Expansion	4-53
Figure 4-21	Geological section through the site including X110	4-58
Figure 4-22	Geological bore locations	4-59
Figure 4-23	Groundwater levels July 2005 to June 2006 (Table F-1 WBM October 2006)	4-62
Figure 4-24	Water quality survey sites	4-67



Figure 4-25	Mean monthly turbidity ($\pm 1SE$) recorded in-situ using hand-held water quality meter, in relation to ANZECC and QWQG Guidelines	4-70
Figure 4-26	Monthly TSS recorded at the surface in relation to QWQG Guidelines	4-71
Figure 4-27	Mean monthly pH ($\pm 1SE$) recorded in-situ using hand-held water quality meter, in relation to ANZECC upper and lower guidelines	4-72
Figure 4-28	Mean monthly dissolved oxygen ($\pm 1SE$) recorded in-situ using hand-held water quality meter, in relation to ANZECC and QWQG Guidelines	4-73
Figure 4-29	Monthly total phosphorous (P) recorded at the surface in relation to ANZECC and QWQG Guidelines	4-75
Figure 4-30	Monthly total nitrogen (N) recorded at the surface in relation to ANZECC and QWQG Guidelines	4-76
Figure 4-31	Measured currents (black solid line) and significant wave height (red solid line)	4-81
Figure 4-32	Location of waverider bouys and ADCP	4-83
Figure 4-33	Synoptic view of the extent (black solid line) of the C-class Delft-3D and extent of the D-class model (red solid line) and the grid of the SWAN wave model	4-86
Figure 4-34	Magnified view of the grid of the D-class Delft-3D model and the extent (blue solid line) of the SWAN wave model	4-87
Figure 4-35	Synoptic view of the extent of the large scale FM model	4-89
Figure 4-36	Magnified view of the D-class FM model	4-90
Figure 4-37	Comparison of water levels for the period 31 July to 10 August 2008	4-93
Figure 4-38	Comparison of current magnitude for the period 31 July to 10 August 2008	4-93
Figure 4-39	Comparison of current direction under the effect of the tides for the period 09 September to 19 September 2008	4-94
Figure 4-40	Comparison of current direction under the effect of the tides, winds and waves for the period 09 September to 19 September 2008	4-94
Figure 4-41	Numerical monitoring stations adopted for analysis	4-96




Figure 4-42	Residual (distance between arrows) or current direction reaching peak value during period of reversal of tidal currents	4-97
Figure 4-43	Terrestrial ecology survey sites	4-100
Figure 4-44	Certified regional ecosystem mapping	4-105
Figure 4-45	Amended regional ecosystem mapping	4-106
Figure 4-46	Presence and absence of biotic features	4-132
Figure 4-47	Density of biotic features	4-133
Figure 4-48	Distribution of benthic macroinvertebrate density classes	4-134
Figure 4-49	Distribution of benthic macroinvertebrate regions	4-135
Figure 4-50	Presence of coral	4-140
Figure 4-51	Megafauna survey sites	4-148
Figure 4-52	Megafauna sightings	4-149
Figure 4-53	Frequency of marine fauna sightings across monthly surveys (2008)	4-152
Figure 4-54	Benthic habitat density and marine fauna utilisation	4-157
Figure 4-55	Observed frequency of turtle species on survey over a six month period	4-158
Figure 4-56	Hatchling response to coloured light sources	4-167
Figure 4-57	Observation stations location	4-171
Figure 4-58	Predicted maximum 24-hour average ground-level concentrations of PM _{2.5} due to site operations	4-179
Figure 4-59	Predicted annual average ground-level concentrations of PM _{2.5} due to site operations	4-179
Figure 4-60	Predicted maximum 24-hour average ground-level concentrations of PM ₁₀ due to site operations including a background level of 39.1 µg/m ³	4-181
Figure 4-61	Predicted annual average ground-level concentrations of TSP due to site operations including a background level of 49.2 µg/m ³	4-183
Figure 4-62	Predicted annual average dust deposition rate due to site operations including a background level of 40 mg/m ² /day	4-185
Figure 4-63	Scenario 1 – No mitigation applied – neutral conditions	4-193
Figure 4-64	Population Trends for the Local Study Area (Bowen)	4-209
Figure 4-65	Population Trends for the State Study Area (Queensland)	4-209



Figure 4-66 Projected percentage population growth of local and State study areas 2011 to 2026 4-211

Photo Index


Photo 3-1	Oblique view of existing Abbot Point Coal Terminal	3-1
Photo 4-1	Oblique aerial view looking south over Abbot Coal Terminal (July 2008)	4-22
Photo 4-2	Abbot Point Coal Terminal, from left existing X21 stockyards, currently under construction X50 stockyards and proposed X110 stockyards	4-23
Photo 4-3	Coal infrastructure viewed from Caley Valley Wetland	4-24
Photo 4-4	Coal terminal viewed from the sea in Edgecombe Bay	4-24
Photo 4-5	Surge bins adjacent to jetty take-off, viewed from Abbot Bay	4-25
Photo 4-6	Site 4: Saltmarsh site fringed by salt couch- wet season	4-107
Photo 4-7	Site 2: Settlement Pond looking north to beach – wet season	4-108
Photo 4-8	Site 3: <i>Corymbia tessellaris</i> woodland	4-109
Photo 4-9	Site 1: Melaleuca woodland on eastern boundary of study area	4-110
Photo 4-10	Site 7: Beach scrub on northern beach	4-111
Photo 4-11	Site 6: Coastal headland shrubland	4-112
Photo 4-12	Secondary settlement pond at Northern edge of existing APCT	4-116
Photo 4-13	Rankin's turtle (<i>Chelodina rankin</i>)	4-120
Photo 4-14	Humpback whales observed near the existing jetty (left) and Clark Shoal right)	4-152
Photo 4-15	Bottlenose dolphins to east of the coal terminal and jetty	4-154
Photo 4-16	Snubfin dolphins observed to east of the coal terminal and jetty	4-154
Photo 4-17	Olive-headed sea snake seaward of Kings Beach	4-155
Photo 4-18	Leopard shark observed at Clark Shoal	4-155
Photo 4-19	Manta rays observed at Camp Island (left) and Abbot Bay (right)	4-156
Photo 4-20	Tracks and nests recorded at Kings Beach, west of proposed jetty	4-159



Photo 4-21	Predated nests recorded near Abbot Bay	4-159
Photo 4-22	View of stone-wall fish trap, facing northwesterly	4-204
Photo 4-23	View of stone-wall fish trap, facing southeasterly	4-204

Appendices


A	Final ToR for this Environmental Assessment
B	Consultation Plan
C	Corporate Environmental Policy
D	Hydrodynamic Report
E	Terrestrial Ecology
F	Marine Ecology
G	Air Quality Assessment
H	Noise and Vibration Assessment
I	Cultural Heritage Assessment
J	Matters of NES Preliminary Documentation




Glossary of Terms

Acronyms

ABWMAC	Australian Ballast Water Management Advisory Committee
ADCP	Acoustic Doppler Current Profiler
AEST	Australian Eastern Standard Time
APCT	Abbot Point Coal Terminal
APSDA	Abbot Point State Development Area
ANZECC	Australian and New Zealand Environment and Conservation Council
AHD	Australian Height Datum
AQIS	Australian Quarantine and Inspection Service
ASS	Acid Sulfate Soil
BAMM	Biodiversity Assessment and Mapping Methodology
BoM	Bureau of Meteorology
BPA	Biodiversity Planning Assessment
CAMBA	China–Australia Migratory Bird Agreement
CCIMPE	Consultative Committee for Introduced Marine Pest Emergencies
CG	Coordinator General
CHMP	Cultural Heritage Management Plans
CPMA	<i>Coastal Protection and Management Act 1995</i>
CSIRO	Commonwealth Scientific and Industrial Research Organisation
DAFF	Department of Agriculture, Fisheries and Forestry
DEEDI	Department of Employment, Economic Development and Innovation
DEM	Dust Extinction Moisture level
DERM	Department of Environment and Resource Management
DEWHA	Department of the Environment, Water, Heritage and the Arts
DO	Dissolved Oxygen
DOTARS	Department of Transport and Regional Services
DIP	Department of Infrastructure and Planning
DSS	Decision Support System
DTMR	Department of Transport and Main Roads
EIS	Environmental Impact Statement
EMP	Environmental Management Plan
EP Act	<i>Environmental Protection Act 1994</i>
EPBC Act	<i>Environment Protection and Biodiversity Conservation Act 1999</i>
EPP	Environmental Protection Policy
EPP Air	Environmental Protection (Air) Policy, 2008 (Qld)
EPP Noise	Environmental Protection (Noise) Policy, 2008 (Qld)
EPP Waste	Environmental Protection (Waste Management) Policy, 2000 (Qld)
EPP Water	Environmental Protection (Water) Policy, 1997 (Qld)
EP Reg	Environmental Protection Regulation 2008
ERA	Environmentally Relevant Activity



FM	Flexible Mesh
FDM	Finite-Difference Method
FEM	Finite-Element Method
ESD	Ecologically Sustainable Development
GBR	Great Barrier Reef
GBRMP	Great Barrier Reef Marine Park
GBRMP Act	<i>Great Barrier Reef Marine Park Act 1975</i>
GBRMPA	Great Barrier Reef Marine Park Authority
GQAL	Good Quality Agricultural Land
IAS	Initial Advice Statement
IMO	International Maritime Organization
HAT	Highest Astronomical Tide
IDAS	Integrated Development Assessment System
IMS	Introduced Marine Species
IOS	Institute of Ocean Services
IP Act	<i>Integrated Planning Act 1997</i>
ISPS Code	International Safety and Port Facility Security Code
ISQG	Interim Standard Quality Guidelines
JAMBA	Japan–Australia Migratory Bird Agreement
LAT	Lowest Astronomical Tide
LGA	Local Government Area
LP Act	<i>Land Protection (Pest and Stock Route Management) Act 2002</i>
MCF	Multi Cargo Facility
MCU	Material Change of Use
MGA	Map Grid of Australia
MHWN	Mean High Water Neaps
MHWS	Mean High Water Springs
MLWN	Mean Low Water Neaps
MLWS	Mean Low Water Springs
MSL	Mean Sea Level
MTOFSA	<i>Maritime Transport and Offshore Facilities Security Act 2003</i>
NCA	<i>Nature Conservation Act 1992</i>
NES	National Environmental Significance
NET	Northern Economic Triangle
NIMPCG	National Introduced Marine Pest Coordination Group
NOAA	National Oceanic and Atmospheric Administration
NPI	National Pollutant Inventory
NQBP	North Queensland Bulk Ports Corporation Limited
NT Act	<i>Native Title Act 1993</i>
NTC	National Tidal Centre
PAR	Photosynthetic Active Radiation
PASS	Potential Acid Sulfate Soils
QPWS	Queensland Parks and Wildlife Service




QWQG	Queensland Water Quality Guidelines
RE	Regional Ecosystem
REDD	Regional Ecosystem Description Database
RL	Reference Level
RMSE	Root Mean Square Error
ROKAMBA	Republic of Korea-Australia Migratory Bird Agreement
SAP	Sediment Sampling and Analysis Plan
SDPWO Act	<i>Queensland State Development and Public Works Organisation Act 1971</i>
SOLAS	Safety of Life at Sea
SPL	Strategic Port Land
SPP	State Planning Policy
SSC	Suspended Sediment Concentration
State Coastal Plan	State Coastal Management Plan – Queensland's Coastal Policy
SWAN	Simulating WAVes Nearshore
the Convention	International Convention for the Control and Management of Ships' Ballast Water and Sediments
the National System	National System for the Prevention and Management of Marine Pest Incursions
ToR	Terms of Reference
TPA	Total Potential Acidity
TSA	Total Sulfidic Acidity
TSP	Total Suspended Particulate
TSS	Total Suspended Solids
USEPA	United State Environmental Protection Agency
VEA	Voluntary Environmental Assessment
VMA	<i>Vegetation Management Act 1999</i>
WAM	Wave Analysis Model
WHAM	Whitsunday, Hinterland and Mackay Regional Planning Project

Abbreviations

M	mega	1,000,000
k	kilo	1,000
c	centi	0.01
m	milli	0.001
μ	micro	0.000 001
n	nano	0.000 000 001

Units of Measure

a	annum
d	day
dB	decibel
dB(A)	'A-weighted' sound pressure levels.
dB re 1 μPa	decibels referenced to 1 micro Pascal



g	gram
h	hour
ha	hectare
L	litre
m	metre
mm	millimetre
m/s	metres per second
mg/cm ²	milligrams per square centimetre
mg/L	milligrams per litre
mg/kg	Milligrams per kilogram
Mt	Million tonnes
mtpa	Million tonnes per annum
nm	nautical mile
No _x	oxides of nitrogen
km	kilometre
km/h	kilometres per hour
kt	knot
NTU	Nephelometric Turbidity Units
Pa	Pascal
ppt	parts per thousand
s	second
t	tonne
wmt	wet metric tonnes